




The receiver unit can be rotated through 360 degrees while mounted on the camera's accessory shoe. Position it properly according to your requirement. For best results, make sure the pulse emitter of the transmitter unit is precisely aligned with the sensing axis of the receiver.













Fig. 1



flex-S

Komaflex-S

INSTRUCTIONS

outkus.ru




Fig. 3





Fig. 2






Fig. 5





Fig. 6



www.butkus.org Fig. 7




Fig. 8



Fig. 9



Fig. 10



www.butkus.org Fig. 11




Fig. 12





Fig. 13



Fig. 16



www.butkus.org Fig. 14





Fig. 15



www.butkus.org Fig. 17



WIDE ANGLE

Fig. 21





Fig. 18




STANDARD LENS

www.butkus.org Fig. 22







TELEPHOTO

Fig. 23



Fig. 24



Fig. 25



www.butkus.org
Fig. 26



Fig. 27























































EL GUENDRO WEST













FOOD STORES

**BEER
WINE**



Whitfield® Pellet Stoves

Whitfield




#1 In The World
Because They're #1
In Quality.






HERMIT CRAB
OP
TOWELS \$4.99
TAFFY 99c







Used With A.P.F.I.. Standard and Premium Grade Fuels








Remove The Two Bolts
From Under The Pallet



Attach Stove To Pedestal By
Inserting Three Bolts



Whitfield




Advantage Pellet Stove


Owner's Manual
and
Operating Instructions

Manufactured in the U.S.A.
Pyle Industries, Inc., Burlington, Washington U.S.A.


- A) Use RTV Sealer
- B) Pipe Connector on Stove
- C) Air Inlet on Stove
- D) 3" Diam. Horizontal Pipe
- E) Fresh Air Tube
- F) Wall Thimble
- G) Hole in Wall
- H) 45 Degree Elbow
- I) 90 Degree Elbow or Hood



Burn Grate Installed




Clean With Grate/Scraper Tool



Back Of Stove


Thermostat Connection
Block

Jumper Wire







Whitfield
Pellet Stoves




HEAT
OUTPUT



BLOWER
SPEED



START




AUGER
ON / OFF




Proudly made in the USA
By
PYRO INDUSTRIES INC


Control Panel



Burn Grate Removed





Ash Pan




Heat Exchange Tubes

Exchange Tubes







ADVANTAGE PLUS



ADVANTAGE II-T / III



Lubricate Here







JUSTICES, INC.

VISION
E PLANT

APR 95 CLASS B

APR 95 CLASS B

APR 95 CLASS B

APR 95 CLASS B

APR 95 CLASS B

APR 95 CLASS B

FASCO

INDUSTRIES, INC.
DIVISION
PLANT

NO. 7021-7765

1/35

VOLT 115

CLASS B

THERMALLY

3000








The Nation's Prevention Agency


CDC







Centers for Disease Control and Prevention




FDA











THE OHIO STATE UNIVERSITY


Medical Center





5

www.butkus.org



Eye piece

Rewind Shaft

Film Guide Rails

Cartridge Chamber

Back Cover Release

Shutter Blades

Sprocket

Slot

Spool

Film Guide Roller

Pressure Plate


Release Pin

Alignment Bar Groove


Synchro Switch Lever

Red Dots

Tripod Socket



(A)



(B)

Rapid Advance Lever

Focusing Base Line

Shutter Release &
Cable Release Socket

Exposure Counter

Luminous Frame
Window

Locking Pin

Selector Knob

Rangefinder Window

Shutter Index

Distance Scale

Aperture Scale

Rewind Crank (extended)

Accessory Shoe

Exposure Meter

Neck Strap Eyelet

Finder Window

Synchro Plug


Shutter Speed Ring



Adjustable Depth of
Field Ring

Aperture Index

Focusing Knob

Standard 1:1.5 Lens





www.burkus.org

(A)