








mike@butkus.org














www.burys.org











www.butkus.org



































www.butkus.org











1




2



3



4




5




6

















www.burkus.org














Fig. 1



Fig. 2




Fig. 3

PRESS
DOWN

ROAMER I




Fig. 4

ROAMER II




Fig. 5

ROAMER I




Fig. 6

ROAMER II




Fig. 7



Fig. 11



Fig. 12

ROAMER I




Fig. 8




Fig. 9

ROAMER II




Fig. 10




Fig. 16



Fig. 17

the V.P.

TWIN
TWIN

www.butkus.org






Fig. 14

Fig. 15








Fig. 18








Fig. 19


THE BUTKUS METHOD


















www.butkus.org



Fig. 10



Fig. 11





www.butkus.org





































www.burkard.org
button



www.butkus.org

Install the battery



Load the camera



ANALYSIS



Set the shutter speed dial to "Auto."





www.butkus.org

Fig. 1


ET


NOMENCLATURE

- ❶ ASA/DIN selection pin
- ❷ Film rewind knob and back opening knob
- ❸ Film speed dial (ASA/DIN)/Exposure compensation dial
- ❹ Viewfinder blind lever
- ❺ Accessory shoe (Hot shoe)
- ❻ Frame counter
- ❼ Multiple exposure lever
- ❽ Shoulder strap eyelet
- ❾ Shutter release button and lock lever
- ❿ Film advance lever
- ⓫ Shutter speed dial
- ⓬ Self-timer lever
- ⓭ Focusing ring
- ⓮ Depth of field scale
- ⓯ Aperture ring
- ⓰ AM lever
- ⓱ X sync socket
- ⓲ Exposure memory button



"This receipt/statement has been
used for an insurance claim."
STATE FARM FIRE & CASUALTY CO.







This receipt/statement has been
www.balkus.org

Fig. 2



Fig. 3




Fig. 4



Fig. 6



Fig. 7



www.butkus.org

Fig. 5



bright sunlight.






Fig. 10




Fig. 11




Fig. 12





www.butkus.org Fig. 14



Fig. 15



www.butkus.org

Fig. 16



Fig. 17