


























































LEICAFLEX

11803 K

SUPER-ANGULON-R
1:3.4/21

2056075



INSTRUCTIONS
21mm SUPER
ANGULON-R f/3.4
FOR LEICAFLEX

The 21mm Super-Angulon-R f/3.4 is a
lens of high correction and great versa-
tility. Its extreme angle of 93° with cover



angénieux

angénieux

Zodiac 300 - 200
R. 12.15/18.18



ZEISS ICON
BIOTAR
50mm f/1.5

NS
R
3.4
TX


12






DETAILS
FIELD
VIEW


3.4 is a
versat-































GERMANY

1443353
















































































MADE IN
GERMANY
FABRIQUE EN
ALLEMAGNE

ERNST LEITZ GMBH WETZLAR











ZEN AFLEX MOTOR







(Insert for LEICAFLEX SL-MOT instructions No 120-41/Engl.)

Accumulators for the LEICAFLEX® motor



Page 2

We recommend the use of 10 Nickel Cadmium accumulators with silver electrodes.

such as DEAC 451 RS by Messrs Varta A.G., D-3 Hanover, instead of 1.5v midget batteries.

A Varta charger, Code No 3261340011 is required.

For work in cold weather we recommend in addition:

Dryfit PC-accumulator,
Type 6 8 x 3 8
with carrying case and plug,
by Messrs Accumulatorenfabrik
Sonnenschein GmbH, D-647 Bodingen.

This requires
1 Sonnenschein charger,
Code No 67338
and
1 LEITZ connecting cable
with safety switch, Code No 14 175

ERNST LEITZ GMBH D 6330 WETZLAR GERMANY

Representatives: Ernst Leitz (Canada) Ltd., Montreal, Quebec















