

























M A



AF MICRO
105mm
1:2.8 D



Copyright-free images collection

© 2004 [leofoo](http://www.leofoo.com)™®

<http://www.IMAGES.com.my>














































KKOR 70-180mm

MADE IN JAPAN

32 22 16 11 8


32 22 16 11 8











Minimum Aperture
marked in Orange

Index for the 2 variable
maximum aperture

Minimum
Aperture
Lock



Nikon

AF Zoom-Micro Nikkor 70-180mm F4.5-5.6D ED



© 2004 Nikon Inc.



© 2004 Nikon Inc.

Nikon
Product
Information

















Nikon

NIKKOR


50mm

1:1.4

1368/2000








38

39

Canon

40


41






Canon IFD LENSES






















Film Speed ASA	25	1	1/2	1/4	1/8	1/15	1/30	1/60	1/125	1/250	1/500	1/1000	1/2000
	50	1/2	1/4	1/8	1/15	1/30	1/60	1/125	1/250	1/500	1/1000	1/2000	
	100	1/4	1/8	1/15	1/30	1/60	1/125	1/250	1/500	1/1000	1/2000		
	200	1/8	1/15	1/30	1/60	1/125	1/250	1/500	1/1000	1/2000			
	400	1/15	1/30	1/60	1/125	1/250	1/500	1/1000	1/2000				
	800	1/30	1/60	1/125	1/250	1/500	1/1000	1/2000					
	1600 (2000)	1/60	1/125	1/250	1/500	1/1000	1/2000						
Range of f/stop		1–22	1–22	1–22	1–22	1–22	1–22	1–22	1–22	1–16	1–11	1–8	1–5.6














































35-114
T
R



C	60-2000
S	1-2000

MOTOR DRIVE MF

CANON INC. JAPAN 100001









C	60-2000
S	1-2000


N INC. JAPAN 10001











5 7 10 15 30 ft
15 2 3 5 10 ∞ m
16 22 4 56 8 11 M



Canon



