





Nikon

PC-NIKKOR

28mm

1:2.8

180581

















Abstract

[illegible]

Region	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
1	10	10			10		10			100%	100%			10	10						
202	10	10			10		10			100%	100%			10	10						

100

100

[illegible]

100

© 2000 Blackwell Science Ltd
Journal of Internal Medicine 247: 395–401

I hereby certify that this copy is a true and correct copy of the original document submitted for the above-referenced company.

Abstract

Missionary Assignment	Team of Missionaries			Area of Responsibility		
	Name	Background/Expertise	Primary Location	Phase 1	Phase 2	Phase 3
East Africa	John Doe	Medical Missionary	Kenya	Phase 1	Phase 2	Phase 3
South America	Maria Garcia	Education Specialist	Brazil	Phase 1	Phase 2	Phase 3
Asia Pacific	David Kim	Business Development	India	Phase 1	Phase 2	Phase 3
Europe	Sarah Smith	Community Outreach	Germany	Phase 1	Phase 2	Phase 3
Oceania	Michael Brown	Healthcare	Australia	Phase 1	Phase 2	Phase 3
North America	Jane Wilson	Education	USA	Phase 1	Phase 2	Phase 3
South America	Carlos Lopez	Business	Colombia	Phase 1	Phase 2	Phase 3

* 1999-2000 season was the first year that the 100 mg concentration of the product was available. The 100 mg concentration was not available in 2000-2001.

[illegible]






















105mm f/2.5

Wilkor
W



2.5

+ ○

—

30


















































































































































Nikon
JAPAN

N→F













