






5.6



5.6





NIPPON KOGAKU K. K.
TOKYO, JAPAN


Printed in Japan


SH. S. C 18


Nikon **Flash Unit**


model BC-5

INSTRUCTIONS

















•AF400T




•TR Power Pack



•"AA" Battery Pack for AF400T




•Power Pack 510V







•Four "AA" Batteries

•AF600C Ring Light Set



•AC Adapter II






















Nikon H960010

Nikon
H960148
JAPAN

















UV-Nikkor
105mm
f/4.5

Nikon
INSTRUCTION MANUAL

Als

Distance Scale

Focusing Ring

AE Lock Pin



Aperture Ring

Aperture/Focusing Index

Infra-Red Index

Aperture
Scale

Depth of Field
Scale



Maximum and minimum apertures differ depending on lens

Note: The Smaller the f-number (e.g. f1.4, f2 etc), the larger it is the aperture
Thus, allowing more light reaching the film to compensate for the
Duration of the shutter curtain travelling time

Canon

Alignment Slot

Lens Mounting Index


Alignment Hole
for AE Control Pin


Aperture Signal
Coupling lever

Stopped-Down
Coupling Lever

Full aperture
Signal Pin








4 5 7 10 15 30 ft
12 1.6 2 3 5 10 ∞ m

1 1 1 1
16 11 8 4 4 8 11 16

50mm 14 2 2.8 4 5.6 8 11 16 A
















Fig 2 Internal Mechanism of a FD lens





Fig. 4

1. Initial state of the system

2. State of the system after the first step

3. State of the system after the second step







anatomical hand grip

Nikon


F3

NIKKOR 50mm 1:1.4 ASPH. COATD

Magazine Back Terminal

External Power Terminal

Remote Terminal







**Battery
Release**























































MH-2 & MN-2










MT-1
MC-5




































Example 1







Example 3







OFF ON



READY



FLASH



SYNC



Canon SB-12 JAPAN

