Japan : Olympus Optical Co., Ltd.
7, 3-chome, Kanda Ogawamachi
Chivoda-ku, Tokyo

U.S.A.: Olympus Corp. of America 39-22, 30th Street, Long Island City N.Y. 11101


Germany: Olympus Optical Co., (Europa) GmbH Steindamm 105, 2 Hamburg 1 Dolumpus

rinted in Japan

This Grympus Pen FT is the only ball trame single-lens reflex camera in the world that has adopted the most advanced Through The Lens system. It meets all requirements for a contemporary high quality camera.

To take line pictures, you need first to familiarize yourself with your comera. Read these instructions carefully before picture taking

the explanations according to the leader numbers illustrated.




You can take pictures simply in the following manner





Load the camera (see page 15).



2 Set the ASA rating of your film (see page 10).

3 Determine the exposure. (see page 18)
1) First set the shutter speed, or
2) First set the Through-The-Lens number.



Advance the film. (see page 9)




5 Hold the camera steady and compose your picture (see page 20)



6 Set the focus (see page 14).



7 Press the shutter button quietly.



Main features:

Picture size

Lens



: 24×18 mm

: (with F1.2 standard lens) H Zuiko Auto S, F1.2, f=42mm, (with F1.4 standard lens) G Zuiko Auto S, F1.4, f=40mm, (with F1.8 standard lens) F Zuiko Auto S, F1.8, f=38mm,

All lenses have fully automatic diaphragm and are marked on Through-

The-Lens numbers and F-numbers.

Bayonet system ("Pen" mount) Lens replacement

: Olympus rotary metal focal-plane shutter; B. 1-1/500 sec. (equaly cali-Shutter brated) one pivot non rotating shutter speed dial

: All shutter speeds synchronization with M & X contacts point switch Synchronizing

Porroprism finder, magnification 0.8X (standard lens), with microprism Viewfinder

and special Fresnel lens

: Horizontally opening shockless quick return mirror Mirror

EL (easy loading) system Loading

: 1-stroke lever type with an advancing stroke angle of 150 degrees, Film advancing self-cocking to prevent double advances and double exposures

Exposed counting, self-resetting type

Film counter Crank type rewind button setting system Film rewinding

Direct advancing helicoid system, minimum close-up distance 35cm Focus adjustment

Through-The-Lens number system, both open and stopped-down aper-Exposure adjustment ture methods available

Light measuring range: EV3~EV17 (ASA 100) with F1.4 standard lens Extra-large CdS meter, average light measurement method Light acceptor

: Mercury battery (1.3 volts) Power source

Film speed rating scale: ASA 25-400


: Lever system (90 degrees) actuated in about 11 seconds Self-timer

"Magic" locking hinge system Rear cover operation

; (with F1.2 standard lens) 127 (W)×69.5 (H)×77.5 (D) mm, 720 gr. Size & weight

(with F1.4 standard lens) 127 (W)×69.5 (H)×68.5 (D) mm, 630 gr. (with F1.8 standard lens) 127 (W) × 69.5 (H) × 62.5 (D) mm, 600 gr.

Fitting the mercury battery:




To actuate the light meter, insert the mercury battery (1.3V) correctly into the battery compartment at the bottom of the camera. The battery is the power source for built-in exposure meter.

1. Fit a coin into the slot on the cover of the battery compartment and turn the cover counter-clockwise for removal.

2. Put in the battery, as illustrated, so that the (+) end of the battery faces outwards, and screw in the cover firmly. When the battery runs out, its performance fails sharply and the meter ceases to function. Take care to replace the battery after about


one year of use.

Recommendable batteries are replacement National M-1D, Toshiba TH-MC, Mallory RM 625, Eveready E625, General No. 625, etc.



Lift the film rewind crank and pull up the knob until it comes to its first stop. At this point, pull it up further; then the rear cover opens automatically. To close it, press the cover until it clicks. To rewind the film (see page 19) or tighten the film (see page 18), turn the rewind crank in the direction of the arrow.

Opening the back cover: 2 Operating the film advance 3 Film counter: lever:



1. Move out the advance lever in a single stroke (preliminary lead angle 13°). In picture taking, bring the lever to this point, as it facilitates the next advancing motion.

2. From this point, advance the lever until it stops, then the film is advanced one frame and the shutter release can be actuated (advancing stroke angle 137%. Be sure to advance the lever until it stops; otherwise it does not return to starting position. Don't force it to return from the middle position of a stroke.

3. Squeeze the release button gently; then the shutter is actuated and the film can be advanced for the next exposure.



The film counter starts from "S" and continues through 72, counting by 4 s. i. e. S. 1, 4, 8, 12, 16. etc.

Single frames are advance by the film advance lever but, due to size, this is not indicated on the film counter.

The orange colored arrow shows the number of frames exposed.

When the rear cover is opened, the film counter returns to "S" automatically.

Shutter speed dial:



The shutter dial shows shutter speeds, B, 1, The small window located between B and 1 2, 4, etc., up to 500.

To set shutter speed, turn the dial until the corresponding number is aligned with the red dot. B (bulb)-In this setting, the shutter leaf is opened when the shutter release button is pressed, and will remain open until it is released. B is used when exposures of longer than one second are desired. The numbers 1 through 500 stand for fractions of a second. i. e. 1=1 sec., $2=\frac{1}{2} \text{ sec.}$, etc. through 500=1/500 sec. The shutter dial is not turned between B and 500. (one-pivot nonrotating system)

For the correct speed, ensure that the number is perfectly matched with the red dot. Speed may be set either before or after advancing the film.

Film speed setting window:



on the shutter dial is the film speed setting window. Pull out the shutter dial ring slightly and turn it to have the ASA rating of your film appear at the center of the window.

ASA scale: 25, (32), (40), 50, (64), (80), 100, (125), (160), 200, (250), (320), 400

Lens release button (lens replacement):

Bayonet-mounted lenses for the Pen FT are easily removed and replaced. On the base of the lens, there are two buttons, one of which is marked with a red L (Lock). This is the lens release button.


First, hold the camera in the left hand and grasp the base of the lens with the right hand. Then press the lens release button with the thumb of the right hand and turn the lens in a clockwise direction until it stops. The lens is removed by pulling it away from the camera body.


To remount the lens, insert it carefully into the body, aligning the red mark (A) on the lens with the red dot on the body. Turn the lens in a counter-clockwise direction until the lens release button (L) returns with a click.


It is not necessary to move the lens release button when mounting the lens.

Lens dismounting

Lens mounting









The unmarked button on the base of the lens is called the "Pre-view button". Even after the F/stop on the Pen FT is set, it will not close down to this opening unless the shutter release button is pressed. At all other times the lens diaphragm is wide open. This fully automatic diaphragm system allows focusing and framing at full brightness.

The pre-view button on the Pen FT closes the pre-set opening, making it possible to see the subject through the viewfinder with the same brightness as that of the F/stop setting. (See section 8 & 11, Depth of Focus & Distance Scale.) This ensures perfect focusing of both subject and background.

Reading the depth of focus scale:



The depth of focus is indicated by a set numbers; 4, 8 and 16; which correspond to lens openings and are written on each side of the red mark (a). Reading the depth of focus is explained by the following example: The distance between the camera and the subject is 3 meters and the F/stop setting is 16. Depth of focus is indicated between 16 to the left of the mark (1.5 m) and 16 to the right of the mark (00) The focused range can also

The focused range can also be determined by pressing the pre-view button while viewing through the finder, as explained in Section 7.


9 The "R" scale: 10



This is the infra-red indicator. To use infra-red sensitive film, set the focus first, and then reset the focus to be line to the "R" mark. Infra-red photography requires a red filter.

| F/Stop ring:





The silver ring at the front of the lens barrel is F/stop ring. On the upside of the ring are engraved a series of Through The Lens numbers (see page 17) from 0 to 6, and on the downside a series of F-numbers (F/stop values) from 1.4 or 1.8 to 16. The larger the F/stop number, the smaller the F/stop value. Turn this ring and align the Through-The-Lens number you need with the black center dot.

 The Through-The-Lens number can use midway scale readings which the shutter speed cannot.

 Pull forward the F/stop ring and turn it around then you can set F-number on the upside.

 To verify complete setting, make certain that the two ends of the ring do not move after the ring has been set.

Distance scale ring:

While viewing through the finder, turn the distance scale ring in either direction until the subject is most clearly visible. Thanks to a microprism installed, you can get a sharp focus so easily. The shutter release button may then be pressed. Clear, sharp photography.

The distance scale ring has scales in two different colors; white (meters) and yellow (feet). These indicate distance between the camera and the subject in focus. A big feature of Pen FT is that it permits close-up photography up to 35 cm without use of any accessory.










Loading the camera:


The Pen FT uses standard size 35 mm film. which is available anywhere.

The pictures are "Pen" size (15/16×11/16 inches). half of the 35 mm film size (13/8 × 17/8 inches). This size is very economical, especially for colored slides, because 72 pictures can be taken on a roll of 36 and 40 on a roll of 20.







Open the rear cover. (see page 9)



2 Put the film into the film compartment. If the rewind knob does not return to its home position, press it in easily.




3 Hold and lead out 4 the right hand while slightly pressing the cartridge with the left in while slightly turning hand and insert the film ed in, the film end may it clockwise or counter- end into any of the six run out of the other gear. clockwise; then it clicks grooves on the take-up side of the spool. Even spool.



that the perforations engage the sprocket gear. *When the film is insertin that case, continue to advance the film.


Advance the film so




At this point, actuate the shutter and advance the film further so that the perforations on both sides engage with the sprocket




cover. point, for additional safety, lift up the rewind crank and turn it lightly until it meets resistance indicating that the film is tightened enough.



7 Operate the advance lever and actuate the shutter. Repeat this motion until the film counter shows the number 1. From this point, start taking pictures. If the rewind knob turns during the repeated motion, this shows that the film is being advanced properly.




The Through-The-Lens system to measure the amount of light passing through the taking lens operates in two different ways; the open aperture and stoppeddown aperture methods. The Olympus Pen FT permits applying either the "open aperture" or the "stopped down aperture" method with the same lens and moreover completely compensates for all measurement errors talked about on conventional Through The Lens system cameras. It represents the most advanced Through-The Lens system ever developed in the world. Looking through the viewfinder, you see the



photometer indication window at the left hand. The wincarries series of Through - The -Lens numbers from 0 to 7. These numenable bers you to determine the correct exposure with ease.

How to set the exposure: (Open aperture method)



When you first determine the shutter speed:

First determine the proper shutter speed according to the conditions of your subject. Select 1/30 or 1/60 of a second for indoor photography or dim subject; 1/125 or 1/250 of a second for outdoor photography or bright subjects. Next look at your subject through the viewfinder, read the Through-The-Lens number indicated by the pointer, and set that number to Through-The-Lens number marked on the F/stop ring. Then you have the correct exposure.

* When the light meter window index enters the top or bottom red zone, it means the shutter speed

preset is not proper. Reset the speed. Note: When the shutter speed is set at 0.5 or 1 second,

meanwhile, a red shift zone appears. *When the black needle in the light meter window enters the top or bottom red zone and/or point out the Through-The-Lens number that is not marked on the Lens aperture scale ring, it means the



When you first determine the Through-The-Lens number:

First set the proper Through-The-Lens number marked on the F/stop ring according to the conditions of your subject. (Consult the F-number appearing on the downside of the ring.) You should take 1 or 2 for indoor photography or dim subjects and 4 or 5 for outdoor photography or bright subjects. Next looking at your subject through the viewfinder, turn the shutter dial, and have the pointer of the photometer indication window indicate the Through-The-Lens number just you pre-set. Then you have the correct exposure.

* Note that you will have the B (bulb) exposure if you turn the shutter dial counter-clockwise till it stops.

Photometer indication window

(Stopped-down aperture method)



Determine your exposure by the stoppeddown aperture method if you wish to measure the amount of light with the same brightness as that of the aperture setting pressing down the pre-view button or when you practice special photography.

Look through the viewfinder with the aperture stopped down and adjust with either the shutter dial or the F/stop ring so that the pointer of the photometer indication window may indicate the minimum Through-The-Lens number engraved on the ring. Now you have the proper exposure.

 Attachment of Eye correction lens adapter is recommendable for measuring secure light condition. How to utilize the old interchangeable lenses:



Owners of the Olympus interchangeable lenses without Through The Lens numbers can stick this Through The Lens number seal to the lenses when using them.

How to stick the seal:

1) Strip off the back paper of the seal.

2) Stick the seal to the aperture ring surface that is inscribed with the F numbers. Keep the ring open (click stop), stick the seal so the first number on the seal may fit to the index. * Length of the seal is equal to that of the surface inscribed with the F numbers.

Note: Take care not to rub the seal or wipe it with such chemicals as alcohol or ether, in which the numbers will be erased.

Holding the camera properly:

The camera must be held firmly in order to take good pictures. Shaking leads to unsharp pictures. Practice until you become fully accustomed to the "feel" of the camera. Squeeze the release button with the ball, not with the tip of your finger. You may hold the camera either vertically or horizontally as your composition


requires.



When holding the camera horizontally, keep both elbows close to your body (Illustration).



When holding the camera vertically, keep the right elbow close to your body and support the camera firmly with the left arm (Illustration).




When the whole roll has been exposed, cover the lens with the cap and rewind the film. To determine whether the whole roll has been exposed or not, check the film counter. It will show the number 72 (in the case of 36exposure roll) or 40 (in the case of 20 exposure

To rewind the film, first press in the rewind button at the bottom of the camera, then lift up the rewind crank and turn the crank in the direction of the arrow. While the film is being rewound, the crank is tight, but when the film is rolled up and the film end leaves the take-up spool, the crank suddenly turns freely.

The film thus rewound is taken out in a place free from direct sunlight.

Towards the end of the roll of film, the advance lever may meet resistance and refuse to move halfway through the advancing stroke. This means that all the film is used up. Do not attempt to force the lever or you will damage the camera and tear the film. Press the rewind button and you can then complete the winding stroke. Do not try to take another picture but rewind the film



The camera has a built-in self-timer which enables you to take a picture of yourself without the help of others. Create a lot of happy photographic mementos by making effective use of the self-timer.

- 1. Set the self-timer by turning the lever 90 degrees upward.
- 2. Make certain the film has been advanced securely.
- 3. Press the start button at the center of the lever; then the shutter is actuated in about 11 seconds.


*You may set the self-timer lever either before or after advancing the film.

*Even after the self-timer has been set, you can also shoot by pressing the release button without operating the self-timer.


*When the film has not been advanced securely, the shutter cannot be actuated even if you operate the selftimer.

* If the above situation has taken place, turn the selftimer 90 degrees upward over again, and holding it with your finger, advance the film securely. At this time, the self-timer starts as your finger leaves it even you don't press the start button.

The Pen FT, different from conventional single-lens reflex cameras. has the big feature of synchronizing class M. flash bulbs and electronic flashes with all shutter speeds up to 1/500 of a second. It assures satisfactory results not only in night time but also in daytime flash photography.



gun. Insert the accessory shoe into the grooves on both sides of the viewfinder eyepiece and mount the gun on the shoe.



Mount the flash O Determine the synchronizing contact point. Operate the contact point switch lever with your fingertip and set the red dot of the lever to M (contact point) wnen using a class M bulb or to X (contact point) when employing an electronic flash. Then fix the flash connection plug into the synchronizing socket of the


and the second of the second of



Determine the F-O number. The Fnumber is calculated by dividing the flash guide number by the distance to subject. For example, suppose the guide number for an ASA rating of 100 is 40 and the distance to subject is 5 meters. then F-number is at 8 since 40 ÷ 5 = 8.

- Avoid placing the camera near a television or radio set or in an iron container for an extended period of time.
- When the lens is removed, be careful not to put fingerprints on the mirror.
- The shutter screen is made from extremely thin metal and should not be touched. The shutter should be left in an open position (B) when the camera is not used for a long time.
- Do not leave the camera in dusty or damp places. Store it in a dry place with good circulation of air.
- Do not leave fingerprints on the lens. Wipe them off immediately with a clean piece of cotton cloth. If fingerprints are left on the lens for some time they are difficult to remove.

Note: It is not necessary to lubricate any part of camera.



The real fun of single-lens reflex cameras—that's to make full use of interchangeable lenses. The Olympus Pen FT has an ample variety of interchangeable lenses including wide angle, telephoto, super-telephoto and zoom lenses in addition to standards, which wholly incorporate the easy-to-use quality of the Pen FT designed to superminiature size and light weight. They expand the pleasures of photography. The excellent description of the "Zuiko", indisputably a top quality lens of worldwide fame, will never fail to fascinate you.

Used telephoto lens 100mm





• ENRICHED RANGE OF INTERCHANGEABLE LENSES FOR OLYMPUS PEN FT

INTERCHANGEABLE LENSES			Lens Compo- nent (elements- groups)	Angle of View	Focal Length Equiva- lent to 35mm Camera	Through- The- Lens Number	Mini- mum Dis- tance	Filter	Weight
STANDARD LENS	H Zuiko Auto S	F1.2, f 42mm	8-6	39"	60 mm	0~6	35cm	49mm	255gr
	G Zuiko Auto S	F1.4, f=40	7-6	41	58	0~6	35	43	165
	F Zuiko Auto S	F1.8, f=38	6-5	43	55	0~6	35	43	135
WIDE ANGLE LENS	E Zuiko Auto W	F4.0, f=25	5-5	62	35	0~4	25	43	120
	G Zuiko Auto W	F3.5. f=20	76	73	28	0~4	20	43	145
TELEPHOTO LENS	G Zuiko Auto T	F1.5, f=60	7-5	28	85	0-6	0.8m	49	270
	F Zuiko Auto T	F2.0, t=70	6-5	24	100	0.5~7	0.8	43	230
	E Zuiko Auto T	F3.5, f-100	5-4	17	143	1~6	1.5	43	250
	E Zuiko Auto T	F4.0, f=150	5-4	12	210	1~5	1.7	49	380
	E Zuiko T	F5, f=250	5-3	7	360	1~6	3.5	58	800
SUPER-TELE- PHOTO	Zuiko Mirror T	F8.0, f=800	6-5	2	1,150	(0)	15	25.5	2,000
ZOOM LENS	Zuiko Auto Zoom	F3.5, f=50-90	10-8	34-19	70-130	0.5~4	1.5	49	420
	Zuika Zaam	F5, f=100-200	12-9	17-9	143-286	1~6	1.7	49	700


Accessories







Lens hood



Accessory shoe



Set case



Eye correction lens adapter Eye correction lens



Attachment lens (close-up lens) f=30cm & f=40cm



Extension tube



Extension ring set



Bellows attachment Slide copyer Camera slider





Microscope adapter



Pen stand (Pen F copy stand) Light arm



Magnifier



Angle finder



Angle-magnifier

Praktica mount adapter

Exakta mount adapter

Leica mount adapter

Nikon mount adapter

Pen slide projector 2 Cooler (Blower) Auto slide changer Strip film carrier Pen slide mount



