ACMEL® MD

THE HIGH PERFORMANCE ULTRA COMPACT CAMERA

Compact, lightweight and stylish ACMEL MD has changed the concept of cameras.

ACMEL MD is a sub-miniature, high performance camera. It is obviously portable and it has a sense of elegance that will make you proud to show it to your friends.
Amazingly, highly sophisticated features are incorporated into its housing, perhaps no longer than the average thumb.
Its unique design means that you can always have a camera available for that unexpected picture, but yet never feel encumbered by its weight or size.

Chain strap comes with a 30cm mark to allow for easy distancing during close-ups. ▶



Ultra Compact and Lightweight beautifully finished in black matte

ACMEL MD measures 84 mm×37mm×21mm. Weight: 55g(without batteries)
Easily carried in pocket or purse, neither you nor your subject will be aware of it until it is needed. Now, you will be able to take those "spur of the moment" pictures not possible with larger, bulkier cameras.

Electronic shutter requires only pressing a button for excellent pictures

ACMEL MD incorporates an electronic shutter with a range from 2 sec. to 1/500 sec. Depending on the light that is available, the shutter will automatically set itself for the correct exposure.

Capable of picture taking between close-ups of up to 30cm to infinity

Since **ACMEL MD** is complete with a distancing adjustment function lever, you get sharply focused pictures between the shooting range of 30cm from the object to infinity. What's more, the 30cm marked chain strap makes measuring the distance as easy as can be.

Combination of high performance lens and film makes superb pictures.

ACMEL MD incorporates an Azonon lens (3G4E F3.5 15mm focal length), This lens is fully capable of capturing detail on the small 8×11mm film, which can easily be enlarged.
The combination of this outstanding lens and films with new emulsion technology such as Acmel Super HG 100 and HG 400 will produce superb pictures.

Accessory Automatic Flash (MDX) expands picture taking possibilities.

The use of the accessory automatic flash(MDX)solves the problem of picture taking under low light levels. The flash attaches easily and makes a direct electronic connection. A long life lithium battery is used. Quick recycling (about 3 sec.) means that you are always ready for the next picture.



Cartridge type Film makes Film loading easier.

No threading of the film is required. Just open the rear lid and drop in a film cartridge. Shoot two blank frames and you are ready to take pictures.

Specifications

ACMEL MD

Film size	8×11mm Minox size
Lens	Azonon F3.5 Focal length:15mm 3G4E[redacted]
Focus	Total group focus type, Shooting range:0.3m—Inf.
Lens diaphragm	F4.8(Fixed)
Shutter	2-piece feather touch electronic shutter Automatically set after winding film.
Shutter speed	Approx. 2 sec.—1/500 sec.
Light signal	Red LED for slow shutter speed warning(longer than 1/30 sec.)
Exposure Control	EV5—17 Automatic light sensor with CDS
Sensitivity setting	Manual dial type ISO 25, 50, 100, 400
Film Winding	Manual rotating knob, with double light prevention structure.
Film Counter	Automatic zero reset type
Finder	Albata type bright frame, with "close-up" mark(30cm)
Battery	Lithium CR-1/3, 3V×2
Flash Contact	With contacts for exclusive flash MDX
Strap	Chain strap with a 30cm mark for Close-up.
Dimensions	84(W)×37(D)×21(H)mm
Weight	Approx. 55g(without batteries)

High sensitive, Super fine grain cartridge films

Acmel Super HG-100
(15EX, 36EX)

Acmel Super HG-400
(15EX, 36EX)

Exclusive Auto Flash(MDX)

Guide number	8(ISO100/M) 16(ISO400/M)
Sensor	CDS Method
Battery Switch	Built-in Auto-Off circuit
Battery	Lithium 123A
Setting	3-pins one touch type
Recharge light	Neon tube display
Recycling time	Within 3 sec.(New battery)
Dimensions	61(W)×42(D)×20(H)mm
Weight	Approx. 38g(Without battery)

Film Slitter.

Simple procedures of slitting regular 35mm film in the darkroom will convert it into ACMEL MD film.
One 36EX 35mm film can be slit into 4-rolls worth of ACMEL MD film.



Note: Be especially careful during handling to prevent any scratches on the film.

Empty Film Cartridge(6pcs./set)



Specifications are subject to change without prior notice.

Dörr GmbH
Postfach 1280
D 89202 Neu-Ulm
Messerschmittstraße 1
D 89231 Neu-Ulm
Telefon 07 31/7 80 37
Telefax 07 31/72 33 04

DÖRR FOTO OPTIK VIDEO

ASANUMA & CO., LTD.
No.7, 3-2 Chome, Hirakawa-cho, Chiyoda-ku, Tokyo, Japan.
Tel. No. 03-3264-5111/5181
Fax. No. 03-3239-7230

" ACMEL " is registered as trademark of Asanuma & Co., Ltd., Tokyo, Japan.