

A

B


FAA28051-R.3312.B

## F90 シャッター部

## F90 Shutter

旧シャッター組品に新シャッター幕1B999-709、  
1B999-675を取付ける時には\*の部品を使用すること  
製技 94F-1033  
F801,F90-940089


When mounting the new curtains (1B994-709 and  
1B999-675) on the old shutter assembly, use the parts  
marked with "\*".  
No.94F-1033  
F801,F90-940089



A

B

FAA28051-R.3312.B






Fig. 2

REWIND BASE PLATE, CAMERA BACK OPEN/CLOSE KEY, FILM DETECTION SW




Fig. 3




Fig. 4



RP-INE No 9478

A


B

FAA28051-R. 3312. B

1

2

3



Change page(差し替え) △×1

- F 6 · F-90 -

DEC. 1. 1994

A

B

FAA28051-R. 3312. B

1

2

3




Fig. 7

パーツ  
センター

Change page(差し替え) Δ × 1

- F 7 · F-90 -

DEC. 6. 1994





Fig. 8

A


B

FAA28051-R, 3312. B


1




2



3



Fix-  
センター  
M









Fig. 12

1

2

3



RP-INF. NO. 9470

Fig. 13




Fig. 13

RP-INF. NO. 9470




Fig. 14